CONTENTS OF VOLUME 29

ADAMS, G. A. and CASTAGNE, A. E.—Hemicelluloses of wheat straw, 109.

BAER, E. and NEWCOMBE, A. G.—I. Mesyl esters of glycerol, 805. Asymmetrically substituted mixed acid triglycerides. Acyl derivatives of L-α-monomesylin and D-α, β-dimesylin, 812.

BAIN, O. and OUELLET, C.—A dilution effect in reactions between dipolar molecules in solution, 646.

BAKER, B. E.—See Henneberry, G. O.

BAKER, C. A. N.—See Taylor, E. G.

BARNWELL, J. L.—See Watson, R. W.

BEAUBIEN, P. E.—See Eastham, A. M.

BERMAN, L., MEEN, R. H., and WRIGHT, G. F—The nitrolysis of hexamethylenetetramine VII. Intermediates in the nitrolysis, 767.

BERNSTEIN, H. J.—The calculation of the change in vibrational frequency due to changes in mass, geometry, and potential constants of a molecule, 284.

BETTS, R. H. and MACKENZIE, A. N.—Isotopic exchange reactions in the system bromine–bromate–hypobromous acid, 655. Formation and stability of hypobromous acid in perchloric acid solutions of bromine and bromate ions, 666.

BLADES, H. and WINKLER, C. A.—The reaction of nitrogen atoms with methane and ethane, 1022.

BLAKE, R. I.—See Van Cleave, A. B.

BLUNDELL, M. J.—See Stone, J. E.

BOIVIN, J. L.—See Gagnon, P. E.; Picard, J. P.

BOIVIN, J. L. and BOIVIN, P. A.—Preparation of N-substituted ureas from nitrosomethylureas, 478.

BOIVIN, P. A.—See Boivin, J. L.; Gagnon, P. E.

BOURNS, A. N.—See Lindsay, J. G.

BOWDEN, K. and MARION, L.—The biogenesis of alkaloids. IV. The formation of gramine from tryptophan in barley, 1037. The biogenesis of alkaloids. V. Radioautographs of barley leaves fed with tryptophan -β-C^{13}, 1043.

BOYD, D. J.—See Munro, L. A.

BRICE, C.—See Lemieux, R. U.

BROOK, A. G. and Wright, G. F—The significance of the "mercurinium ion" in oxymercuration, 308.

BROWN, W. H.—See Robinson, J. R.

BRUNET, P. E.—See McKay, A. F.

BRYCE, J. R. G.—See McKay, A. F.

CASTAGNE, A. E.—See Adams, G. A.

CAULE, E. J. and STEACIE, E. W. R.—The photolysis of mercury dipropyl, 103.

CHALMERS, B.—See Winegard, W. C.

CHARANDUK, R.—See Lemieux, R. U.

CHRISTIAN, W. R., GOGEK, C. J., and PURVES, C. B.—Studies in the polyoxyphenol series. V. Preparation from pyrogallol of the isomeric cyclohexane-1,2,3-triols and -1,2-diols, and of several isopropylidene and monomethyl derivatives, 911.

CHRISTIAN, W. R. and PURVES, C. B.—Relative stabilities of the isomeric cyclohexane-1,2,3-triol trinitrates and 1,2-diol dinitrates, 926.

COCKBURN, W. F.—A semimicro filtration apparatus, 715.

COCKBURN, W. F. and MARION, L.—The papilionaceous alkaloids. VIII. The structure of thermopsine, 13.

COOPE, J. A. R.—See Watson, R. W.

COX, R. H.—See Linburg, R. G.

COX, R. H. and SPENCER, E. Y.—The estimation of some 17-alkyl substituted steroids with the zinc chloride – acetyl chloride (Tshugaev) reagent and a postulated reaction mechanism, 217. The ultraviolet absorption spectra of several dehydration and oxidation derivatives of cholesterol, 398.

CONTENTS OF VOLUME 29

ADAMS, G. A. and CASTAGNE, A. E.—Hemicelluloses of wheat straw, 109.

BAER, E. and NEWCOMBE, A. G.—I. Mesyl esters of glycerol, 805. Asymmetrically substituted mixed acid triglycerides. Acyl derivatives of L-α-monomesylin and D-α, β-dimesylin, 812.

BAIN, O. and OUELLET, C.—A dilution effect in reactions between dipolar molecules in solution, 646.

BAKER, B. E.—See Henneberry, G. O.

BAKER, C. A. N.—See Taylor, E. G.

BARNWELL, J. L.—See Watson, R. W.

BEAUBIEN, P. E.—See Eastham, A. M.

BERMAN, L., MEEN, R. H., and WRIGHT, G. F—The nitrolysis of hexamethylenetetramine VII. Intermediates in the nitrolysis, 767.

BERNSTEIN, H. J.—The calculation of the change in vibrational frequency due to changes in mass, geometry, and potential constants of a molecule, 284.

BETTS, R. H. and MACKENZIE, A. N.—Isotopic exchange reactions in the system bromine–bromate–hypobromous acid, 655. Formation and stability of hypobromous acid in perchloric acid solutions of bromine and bromate ions, 666.

BLADES, H. and WINKLER, C. A.—The reaction of nitrogen atoms with methane and ethane, 1022.

BLAKE, R. I.—See Van Cleave, A. B.

BLUNDELL, M. J.—See Stone, J. E.

BOIVIN, J. L.—See Gagnon, P. E.; Picard, J. P.

BOIVIN, J. L. and BOIVIN, P. A.—Preparation of N-substituted ureas from nitrosomethylureas, 478.

BOIVIN, P. A.—See Boivin, J. L.; Gagnon, P. E.

BOURNS, A. N.—See Lindsay, J. G.

BOWDEN, K. and MARION, L.—The biogenesis of alkaloids. IV. The formation of gramine from tryptophan in barley, 1037. The biogenesis of alkaloids. V. Radioautographs of barley leaves fed with tryptophan -β-C^{13}, 1043.

BOYD, D. J.—See Munro, L. A.

BRICE, C.—See Lemieux, R. U.

BROOK, A. G. and Wright, G. F—The significance of the "mercurinium ion" in oxymercuration, 308.

BROWN, W. H.—See Robinson, J. R.

BRUNET, P. E.—See McKay, A. F.

BRYCE, J. R. G.—See McKay, A. F.

CASTAGNE, A. E.—See Adams, G. A.

CAULE, E. J. and STEACIE, E. W. R.—The photolysis of mercury dipropyl, 103.

CHALMERS, B.—See Winegard, W. C.

CHARANDUK, R.—See Lemieux, R. U.

CHRISTIAN, W. R., GOGEK, C. J., and PURVES, C. B.—Studies in the polyoxyphenol series. V. Preparation from pyrogallol of the isomeric cyclohexane-1,2,3-triols and -1,2-diols, and of several isopropylidene and monomethyl derivatives, 911.

CHRISTIAN, W. R. and PURVES, C. B.—Relative stabilities of the isomeric cyclohexane-1,2,3-triol trinitrates and 1,2-diol dinitrates, 926.

COCKBURN, W. F.—A semimicro filtration apparatus, 715.

COCKBURN, W. F. and MARION, L.—The papilionaceous alkaloids. VIII. The structure of thermopsine, 13.

COOPE, J. A. R.—See Watson, R. W.

COX, R. H.—See Linburg, R. G.

COX, R. H. and SPENCER, E. Y.—The estimation of some 17-alkyl substituted steroids with the zinc chloride – acetyl chloride (Tshugaev) reagent and a postulated reaction mechanism, 217. The ultraviolet absorption spectra of several dehydration and oxidation derivatives of cholesterol, 398.

CRAIG, B. M.—See Youngs, C. G.
CRAIG, H. M.—See Gagnon, P. E.
CROCKER, I. H.—See Graham, R. P.
CVETANOVIĆ, R. J. and LE ROY, D. J.—Contribution to the theory of diffusion flames, 597.
DARWENT, B. DEB.—See Eastham, A. M.
DIAPER, D. G. M., KIRKWOOD, S., and MARION, L.—The biogenesis of alkaloids. III. A study of hyoscyamine biosynthesis using isotopic putrescine, 964.
DOUGLAS, B.—See Marion, L.
EASTHAM, A. M., DARWENT, B. DEB.—The chemistry of ethylene oxide. III. Reaction of ethylene oxide in amine solution, 585.
EASTHAM, A. M., DARWENT, B. DEB., and BEAUBIEN, P. E.—The chemistry of ethylene oxide. II. The kinetics of the reaction of ethylene oxide with amines in aqueous solution, 575.
EDMISTON, W. E. and WIESNER, K.—Synthesis of some phenanthridine derivatives, 105.
EMBREE, W. H., MITCHELL, J. M., and WILLIAMS, H. L.—Compositional heterogeneity of butadiene-acrylonitrile copolymers prepared in emulsion at 5°C., 253.
EPSTEIN, S. and Winkler, C. A.—Studies on RDX and related compounds. VI. The homogeneous hydrolysis of cyclotrimethylenetrinitramine (RDX) and cyclotetramethylenetetranitramine (HMX) in aqueous acetone, and its application to analysis of HMX in RDX (B), 731.
EVANS, H. G. V.—See Hodgson, G. W.
FAINER, P.—The reduction of nitroglycerin with titanous sulphate, 46.
FAIRBAIRN, D. and HARPUR, R. P.—The distillation, extraction, and chromatographic separation of the C_2–C_5 fatty acids, 633.
FARNAND, R.—See Stainsby, G.
FITCH, F. T. and RUSSELL, D. S.—The separation of the rare earths by ion-exchange procedures, 363.
FOLEY, W. T. and GIGUÈRE, P. A.—Hydrogen peroxide and its analogues. II. Phase equilibrium in the system hydrogen peroxide–water, 123. Hydrogen peroxide and its analogues. IV. Some thermal properties of hydrogen peroxide, 895.
FOLLOWS, A. G.—See Taylor, E. G.
FROST, G. B., MOON, K. A., and TOMPKINS, E. H.—The role of amorphous intermediate products in the dehydration of certain hydrated salts, 604.
FUNT, B. L. and MASON, S. G.—Influence of shear on the dielectric constant of liquids, 848.
GAGNON, P. E., BOIVIN, J. L., BOIVIN, P. A., and JONES, R. N.—The synthesis and ultraviolet spectra of some pyrazolones, 182.
GAGNON, P. E., BOIVIN, J. L., and GIGUERE, J.—Contribution to the study of 4-monosubstituted-3-amino-5-pyrazolones, 328. Synthesis of 5-substituted 1-anilino-4-iminobarbituric acids, 1028.
GAGNON, P. E., BOIVIN, P. A., and CRAIG, H. M.—Synthesis of amino acids from substituted cyanoacetic esters, 70.
GAGNON, P. E., NOLIN, B., and JONES, R. M.—Synthesis and ultraviolet absorption of some pyrazolones, 843.
GAUDRY, R.—The synthesis of amino acids from 2,3-dihydrofuran DL-ornithine, DL-proline, and DL-α-amino-δ-hydroxyvaleric acid, 544.
GAUDRY, R. and McIVOR, R. A.—Synthèse des acides aminés à partir de la rhodanine, 427.
GAUVIN, W.—See Wiebe, A. K.
GIGUERE, J.—See Gagnon, P. E.; Lemieux, R. U.
GIGUÈRE, P. A.—See Foley, W. T.; Phibbs, M. K.
GIGUÈRE, P. A. and LAMONTAGNE, D.—Polarographic determination of benzoyl peroxide and cumene hydroperoxide, 54.
GILLESPIE, T. and LANGSTROTH, G. O.—The effect of relative humidity on coagulation and surface losses of ammonium chloride smoke, 133. The aging of ammonium chloride smokes, 201.
GILLIES, A., WILLIAMS, H. L., and WINKLER, C. A.—Studies of RDX and related compounds. III. The reaction to form RDX from ammonium nitrate and formaldehyde in acetic anhydride, 377.

GOGEK, C. J.—See Christian, W. R.
GOGEK, C. J., MOIR, R. Y., MCRAE, J. A., and PURVES, C. B.—An improved synthesis of *cis-cis-trans*-cyclohexane-1,2,3-triol, 938.
GOGEK, C. J., MOIR, R. Y., and PURVES, C. B.—The benzoate and the methyl ether of 4-hydroxycyclohexene, 946.
GRAHAM, R. P., MACNAMARA, J., CROCKER, I. H., and MACFARLANE, R. B.—The isotopic constitution of germanium, 89.
GRIFFITHS, F. H.—See McRae, J. A.
HABGOOD, T. E.—See McRae, J. A.
HARDWICK, T. J. and ROBERTSON, E.—Ionic species in ceric perchlorate solutions, 818. Association of ceric ions with sulphate (a spectral study), 828.
HARPUR, R. P.—See Fairbairn, D.
HARWOOD, V. D.—Cupriethylenediamine as a reagent for hemicellulose separation from wheat straw holocellulose, 974.
HASKINS, R. H.—See Lemieux, R. U.
HATTON, W. G.—See McKay, A. F.
HEAL, H. G.—The influence of cation radius and salt concentration in the salting out of ethyl ether from aqueous nitrate solutions at 25°C., 563.
HENNEBERRY, G. O., OLIVER, W. F., and BAKER, B. E.—Synthesis of C^{14} carboxyl-labeled phenylalanine, 229.
HEYDING, R. D. and WINKLER, C. A.—Solvent effect on iodide exchange, 790.
HODGSON, G. W., EVANS, H. G. V., and WINKLER, C. A.—The exchange of iodine between inorganic iodides and *n*-butyl iodide, 60.
HOLLIES, N. R. S. and MCINTOSH, R. L.—The dielectric constant of disulphur decafluoride, 494.
HOLMES, O. G —See McCallum, K. J.
INGRAM, A. R.—Electronic interpretation of the uncatalyzed reaction between resorcinol and formaldehyde in alcohols and dioxane, 863.
JAILLET, J. B. and OUELLET, C.—Cinétique de l'oxydation de la formaldéhyde par l'eau oxygenée en solution alcaline, 1046.
JONES, R. A. and WINKLER, C. A.—Reactions in dissociated water vapor, 1010.
JONES, R. N.—See Gagnon, P. E.
KATES, M. and MARION, L.—Gelsemine. III. Reduction with lithium aluminum hydride, 37.
KATZ, M., WILSON, L. G., and RIBERDY, R.—The oxidation of carbon monoxide by solid silver permanganate reagents. IV. Chemical composition in relation to activity, 1059.
KELLY, R. B., WHITTINGHAM, D. J., and WIESNER, K.—The structure of ryanodine. I., 905.
KIRKWOOD, S.—See Diaper, D. G. M.
KIRKWOOD, S. and MARION, L.—The biogenesis of alkaloids. II. The origin of the methyl groups of hordenine and choline, 30.
KRISTJANSON, A. M. and WINKLER, C. A.—Exchange reactions of iodide ion with aromatic iodides, 154.
LAMONTAGNE, D.—See Giguère, P. A.
LANGSTROTH, G. O.—See Gillespie, T.
LAVIGNE, R.—See Marion, L.
LEITCH, L. C. and MORSE, A. T.—Synthesis of *cis*- and *trans*-1,2-dichloroethylene-*d*, 1034.
LEMAY, L.—See Marion, L.
LEMIEUX, R. U.—The biochemistry of the Ustilaginales. III. The degradation products and proof of the chemical heterogeneity of ustilagic acid, 415. The mercaptolysis of glucose and galactose pentaacetates, 1079.
LEMIEUX, R. U. and CHARANDUK, R.—Biochemistry of the Ustilaginales. VI. The acyl groups of ustilagic acid, 759.
LEMIEUX, R. U. and GIGUERE, J.—Biochemistry of the Ustilaginales. IV. The configurations of some β-hydroxyacids and the bioreduction of β-ketoacids, 678.
LEMIEUX, R. U., THORN, J. A., BRICE, C., and HASKINS, R. H.—Biochemistry of the Ustilaginales. II. Isolation and partial characterization of ustilagic acid, 409.

LEONARD, N. J.—See Marion, L.
LEROY, D. J.—See Cvetanović, R. J.; Osberg, G. L.
LINBURG, R. G., COX, R. H., and SPENCER, E. Y.—Some observations on the copper oxide oxidation of cholesterol, 716.
LINDSAY, J. G., BOURNS, A. N., and THODE, H. G.—C^{13} isotope effect in the decarboxylation of normal malonic acid, 192.
LUSENA, C. V.—Estimation of ribonucleic acid with orcinol, 107.
LYNE, M. L.—See Taylor, E. G.
MCCALLUM, K. J. and HOLMES, O. G.—Chemical effects of the Cl^{35} (γ,n) Cl^{34} reaction in sodium chlorate, 691.
MACCORMACK, K. E. and SCHNEIDER, W. G.—Isotherms of sulphur hexafluoride in the critical temperature region, 699.
MACFARLANE, R. B.—See Graham, R. P.
MACHUTCHIN, J. G.—See Ralph, A. O.
MCINTOSH, R.—See McLeod, L. A.
MCINTOSH, R. L.—See Hollies, N. R. S.; Trost, W. R.
MCIVOR, ROBERT A.—See Gaudry, R.
MCKAY, A. F., BRYCE, J. R. G., and RIVINGTON, D. E.—Preparation and nitration of 1-substituted-2-nitramino-2-imidazolines, 382.
MCKAY, A. F. and HATTON, W. G.—Aryldiguanidines, 718.
MCKAY, A. F., PICARD, J. P., and BRUNET, P. E.—The structures of nitroguanidine and its derivatives, 746.
MCKAY, A. F. and THOMAS, H. P.—Preparation of substituted nitroguanidines and the cyclization of N-γ-nitroxybutyl-N′-nitroguanidine, 391.
MACKENZIE, A. N.—See Betts, R. H.
MCLEOD, L. A. and MCINTOSH, R.—An evaluation of osmotic pressure measurements using polyvinyl acetate systems, 1104.
MACNAMARA, J.—See Graham, R. P.
MCRAE, J. A.—See Gogek, C. J.; Manske, R. H.
MCRAE, J. A., VANORDER, R. B., GRIFFITHS, F. H., and HABGOOD, T. E.—6-Iodometameconine and 3-iodometahemipinic acid, 482.
MAJKA, S.—See Winegard, W. C.
MALLARD, T. M.—See Youngs, C. G.
MANSKE, R. H., MCRAE, J. A., and MOIR, R. Y.—3-Bromometameconine, 526.
MARION, L.—The papilionaceous alkaloids. XIV. Concerning spathulatine and nonalupine, 959. See Bowden, K.; Cockburn, W. F.; Diaper, D. G. M.; Kates, M.; Kirkwood, S.
MARION, L. and DOUGLAS, B.—The papilionaceous alkaloids. XIII. Identity of octalupine with hydroxylupanine, 721.
MARION, L., LAVIGNE, R., and LEMAY, L.—The structure of sedamine, 347.
MARION, L. and LEONARD, N. J.—The papilionaceous alkaloids. XI. Identity of genisteine with *l*-α-isosparteine, 297. The synthesis of dehydrolupanines and the stereochemistry of the C_{15} lupin alkaloids, 355.
MARION, L., TURCOTTE, F., and OUELLET, J.—The papilionaceous alkaloids. IX. Natural occurrence of the alkaloids of the α-isosparteine group, 22.
MASON, S. G.—See Funt, B. L.
MEEN, R. H.—See Berman, L.
MILLER, D. M. and WINKLER, C. A.—The measurement of the absolute rates of removal of lead and tellurium mirrors by a free radical stream, 537.
MITCHELL, J. M.—See Embree, W. H.
MOIR, R. Y.—See Gogek, C. J.; Manske, R. H.
MOON, K. A.—See Frost, G. B.
MORSE, A. T.—See Leitch, L. C.
MOSES, G. B.—See Sirianni, A. F.
MOSES, G. B. and PUDDINGTON, I. E.—The rheological properties of some soap-oil systems, 996.

MUNRO, L. A. and BOYD, D. J.—A comparison of the protective colloid index and polarograph wave for normal and cancer sera, 1115.
NEISH, A. C.—Analysis of mixtures of simple aliphatic alcohols by partition chromatography, 552.
NEWCOMBE, A. G.—See Baer, E.
NICHOLLS, R. V. V.—See Van Straten, S. F.
NOLIN, B.—See Gagnon, P. E.
OLIVER, W. F.—See Henneberry, G. O.
ORR, R. J. and WILLIAMS, H. L.—The compositional heterogeneity of butadiene-styrene copolymers synthesized at − 18°C. in emulsion, 270. The role of alpha-ketols in the low-sugar redox recipe for low temperature emulsion copolymerization, 949.
OSBERG, G. L. and LE ROY, D. J.—The polymerization of styrene sensitized by acetyl radicals, 333.
OUELLET, C.—See Bain, O.; Jaillet, J. B.; Ouellet, L.
OUELLET, J.—See Marion, L.
OUELLET, L. and OUELLET, C.—Sur la flamme froide de l'ether, 76. Influence de gaz étrangers sur la flamme froide de l'ether, 986.
PHIBBS, M. K. and GIGUÈRE, P. A.—Hydrogen peroxide and its analogues. I. Density, refractive index, viscosity, and surface tension of deuterium peroxide – deuterium oxide solutions, 173. Hydrogen peroxide and its analogues. III. Absorption spectrum of hydrogen and deuterium peroxides in the near ultraviolet, 490.
PICARD, J. P.—See McKay, A. F.
PICARD, J. P. and BOIVIN, J. L.—Study of nitration of N,N′-disubstituted hydrazines, 223.
PUDDINGTON, I. E.—See Moses, G. B.; Sirianni, A. F.; Stainsby, G.
PURVES, C. B.—See Christian, W. R.; Gogek, C. J.
RAFF, R. A. V. and SILVERMAN, B. H.—Influence of alcohols upon the uncatalyzed reaction between resorcinol and formaldehyde, 857.
RALPH, A. O., MACHUTCHIN, J. G., and WINKLER, C. A.—Studies on RDX and related compounds. V. The effect of delayed addition of ammonium nitrate, and the rate of disappearance of hexamine, in the Bachmann reaction, 725.
RIBERDY, R.—See Katz, M.
RIPLEY, L. G. and WATSON, R. W.—Hydrolysis and polymerization of cyclic dimethylethylene oxalates, 970.
RIVINGTON, D. E.—See McKay, A. F.
ROBERTSON, E.—See Hardwick, T. J.
ROBINSON, J. R. and BROWN, W. H.—Diphenylcyanamide derivatives, 1069.
RUSSELL, D. S.—See Fitch, F. T.
SALLANS, H. R.—See Youngs, C. G.
SCHIFF, H. I. and STEACIE, E. W. R.—The reactions of H and D atoms with cyclic and paraffin hydrocarbons, 1.
SCHNEIDER, W. G.—Sound velocity and sound absorption in the critical temperature region, 243. See MacCormack, K. E.
SCOTT, E. J. Y. and STEACIE, E. W. R.—The mercury photosensitized reactions of benzene at high temperatures, 233.
SHU, P.—See Thorn, J. A.
SILVERMAN, B. H.—See Raff, R. A. V.
SIRIANNI, A. F., MOSES, G. B., and PUDDINGTON, I. E.—Particle shape in thixotropic suspensions, 166.
SMITH, E. A.—See Zlatkis, A.
SPENCER, E. Y.—See Cox, R. H.; Linburg, R. G.
SPOONER, R. C. and WETMORE, F. E. W.—Molten salts. Electrical conductivity in the system silver chloride – silver nitrate, 777.
STAINSBY, G., FARNAND, R., and PUDDINGTON, I. E.—The preparation of anhydrous sodium stearate, 838.
STEACIE, E. W. R.—See Caule, E. J.; Schiff, H. I.; Scott, E. J. Y.; Wijnen, M. H. J.

STONE, J. E., BLUNDELL, M. J., and TANNER, K. G.—The formation of lignin in wheat plants, 734.
SWENSON, E. G. and THORVALDSON, T.—The alcohol-glycerol method for the determination of free lime, 140.
TANNER, K. G.—See Stone, J. E.
TAYLOR, E. G., BAKER, C. A. N., and LYNE, L. M.—Conductance of ammonium nitrate in water – nitric acid – nitrogen pentoxide mixtures at various temperatures, 452.
TAYLOR, E. G. and FOLLOWS, A. G.—Some freezing point and conductance measurements in the system nitric acid – acetic acid, 461.
TAYLOR, E. G., LYNE, L. M., and FOLLOWS, A. G.—Conductance measurements in water – nitric acid – nitrogen pentoxide mixtures at various temperatures, 439.
THALL, B. M.—See Winegard, W. C.
THODE, H. G.—See Lindsay, J. G.
THOMAS, H. P.—See McKay, A. F.
THORN, J. A.—See Lemieux, R. U.
THORN, J. A. and SHU, P.—A new apparatus for rapid carbon determination by wet combustion, 558.
THORVALDSON, T.—See Swenson, E. G.
TOMPKINS, E. H.—See Frost, G. B.
TROST, W. R.—The addition compounds of silicon tetrachloride and amines, 877. The addition compounds of silicon tetrachloride with aliphatic amines, 1075.
TROST, W. R. and MCINTOSH, R. L.—The kinetics of the thermal decomposition of disulphur decafluoride, 508.
TURCOTTE, F.—See Marion, L.
TURNER, R. C. and WINKLER, C. A.—Dropping amalgam electrodes, 469.
VAN CLEAVE, A. B. and BLAKE, R. I.—The reaction of dioxane with hydrogen bromide, 785.
VANORDER, R. B.—See McRae, J. A.
VAN STRATEN, S. F., NICHOLLS, R. V. V., and WINKLER, C. A.—Exchange reactions of alicyclic iodides with sodium iodide, 372.
WATSON, R. W.—See Ripley, L. G.
WATSON, R. W., COOPE, J. A. R., and BARNWELL, J. L.—Physical constants and estimation of stereoisomeric 2,3-butanediols, 885.
WETMORE, F. E. W.—See Spooner, R. C.
WHITTINGHAM, D. J.—See Kelly, R. B.
WIEBE, A. K., GAUVIN, W., and WINKLER, C. A.—Hydrogen overvoltage and potential build-up at copper cathodes, 301.
WIESNER, K.—The structure of jaborandine, the alkaloid of *Piper jaborandi* Velloso. I., 352. See Edmiston, W. E.; Kelly, R. B.
WIJNEN, M. H. J. and STEACIE, E. W. R.—Photolysis of 2,2′,4,4′-tetradeuterodiethyl ketone, 1092.
WILLIAMS, H. L.—See Embree, W. H.; Gillies, A.; Orr, R. J.
WILLIAMS, H. L. and WINKLER, C. A.—Studies on RDX and related compounds. IV. The Bachmann or combination process, 642.
WILSON, L. G.—See Katz, M.
WINEGARD, W. C., MAJKA, S., THALL, B. M., and CHALMERS, B.—Eutectic solidification in metals, 320.
WINKLER, C. A.—See Blades, H.; Epstein, S.; Gillies, A.; Heyding, R. D.; Hodgson, G. W.; Jones, R. A.; Kristjanson, A. M.; Miller, D. M.; Ralph, A. O.; Turner, R. C.; Van Straten, S. F.; Wiebe, A. K.; Williams, H. L.
WRIGHT, G. F—See Berman, L.; Brook, A. G.
YOUNGS, C. G., MALLARD, T. M., CRAIG, B. M., and SALLANS, H. R.—Component fatty acids of rapeseed oil, 871.
ZLATKIS, A. and SMITH, E. A.—The synthesis of some stereoisomeric derivatives of decahydronaphthalene, 162.